

CONNECTPlayer HX5

Compact | 4-screen video wall | 8K UHD



Video Walls Made Simple

Cost-Efficient Implementation: Create a seamless 4-display video wall using a single unit without external controllers.

Easy Installation & Management: Lower setup time and costs through simplified deployment.



Superior performance with 8K UHD

Stunning Image Quality: Supports up to 8K UHD for crisp, vivid content on massive video walls.

Seamless Playback: Ensures smooth, high-definition video playback via advanced hardware acceleration.



Display Various Content on Screen

Cost-Efficient Implementation: Create a seamless 4-display video wall using a single unit without external controllers.

Easy Installation & Management: Lower setup time and costs through simplified deployment.



Compact Design with Mounting Bracket

Space Optimization: Compact aluminum alloy case hides neatly behind a TV to save installation space.

Durability & Thermal Control: Features durable materials for stable heat dissipation and includes a bracket for hassle-free installation.



AI-Powered Digital Signage Solution

AI-Powered Analytics: Uses a high-performance AI processor for real-time audience analysis and personalized content delivery.

Enhanced Security: On-device AI processing ensures strong data privacy and security.



Value Beyond Security: Intelligent PVM Solution

Integrated Security: Combines anti-theft and monitoring for simultaneous customer service and store management.

Smart Prevention: Automatically sends alarm messages when restricted areas are breached for proactive security.



Free 1-Year CONNECTPlayer Manager Subscription


Complimentary Subscription: Includes a free 1-year CONNECTPlayer Manager subscription for web-based content creation, scheduling, and remote multi-display management.



2-Year Warranty & Free Updates


Repairs, replacement parts, and service are covered for two years. Free software updates help keep your device secure, up to date, and performing at its best.

I/O Ports and Dimensions



- | | | | | |
|--------------------|-----------------|---------------------------|----------------------------|-------------------------|
| 1 DC Power Jack | 2 USB 2.0 x 2 | 3 HD-OUT1 | 4 HD-OUT2 | 5 HD-IN (Not Supported) |
| 6 Ethernet LAN x 2 | 7 Audio-out | 8 USB 3.0 | 9 HD-OUT4 | 10 HD-OUT3 |
| 11 Network LED | 12 Activity LED | 13 MicroSD (Service Only) | 14 WiFi Antenna (Optional) | |

Bracket Mounting Diagram (Installation Guide)



Technical Specifications

	CONNECTPlayer HX5	CONNECTPlayer LX5	CONNECTPlayer SX5
Device Capability			
Max. Video Resolution	8K UHD (8K Rendering)	8K UHD (8K Rendering)	4K UHD (4K Rendering)
Storage	64GB eMMC	32GB eMMC	16GB eMMC
OS (Operating System)	Android 12	Android 12	Android 14
Video Decoding	H.265(HEVC), H.264(AVC), VP9	H.265(HEVC), H.264(AVC), VP9	H.265(HEVC), H.264(AVC), VP9, AV1
Offline Playback	Yes	Yes	Yes
I/O & HW Specs			
HDMI Input	N/A	N/A	N/A
Video Output	4 Outputs 1xHDMI Output, up to 8K@60Hz 1xHDMI Output, up to 4K@60Hz 1xHDMI Output, up to 1080p@60Hz 1xUSB-C (DP Alt), up to 4K@60Hz	3 Outputs 1xHDMI Output, up to 8K@60Hz 1xHDMI Output, up to 1080p@60Hz 1xHDMI Output, up to 1080p@60Hz	1 x HDMI Output, up to 4K@60Hz
USB	1 x USB3.0 2 x USB2.0	1 x USB3.0 2 x USB2.0	1 x USB 2.0
Ethernet	Gigabit RJ45	Gigabit RJ45	Supported via USB-to-LAN Adapter
Wi-Fi	Supported via USB 3.0 Adapter (Optional) (Realtek RTL8812AU/BU)	Supported via USB 3.0 Adapter (Optional) (Realtek RTL8812AU/BU)	Wi-Fi 2.4GHz/5GHz 802.11a/b/g/n/ac 2T2R
Power Adapter	12V/3A, 5.5 x 2.1 mm	12V/3A, USB Type-C	5V/2A, USB Type-C
Micro SD Card	Maintenance Only	Maintenance Only	Maintenance Only
Max. Power Consumption	15Watt	10Watt	5Watt
Audio Out	3.5 mm Audio Jack / via HDMI	3.5 mm Audio Jack / via HDMI	via HDMI only
Mounting Bracket	Bundled	Bundled	N/A
Operating Temperature Range	-10 °C to +45 °C	-10 °C to +45 °C	-10 °C to +45 °C
Shipping Weight/Device Weight	0.95kg / 0.38kg	0.88 kg / 0.31 kg	0.21 kg / 0.07 kg
Enclosure	Aluminum alloy	Aluminum alloy	Lightweight Plastic
Product Dimensions (W x D x H)	114.6x86x31mm (4.51"x3.39"x1.22")	103.6x68x31mm (4.51"x3.39"x1.22")	205x46x18.7mm (8.07"x1.81"x0.74")
Packaging Dimensions (W x D x H)	184x134x108mm (7.24"x5.28"x4.25")	184x134x108mm (7.24"x5.28"x4.25")	152x108x70 mm (5.98"x4.25"x2.76")
Certification	FCC, CE, KC	FCC, CE, KC	FCC, CE, KC
System & Security			
Firmware & OS	Proprietary Firmware Engineered and Secured in South Korea		
CMS (CONNECTPlayer Manager)	Enterprise-grade CONNECTPlayer Manager Developed in South Korea		
Data Residency	Secure Global Cloud Infrastructure		
Include Services			
2-Year Warranty	Included	Included	Included
1-Year CONNECTPlayer Manager Subscription	Included	Included	Included